



Campath Reimbursement

CamCare reimbursement consultants offer services to help providers and patients with product-related reimbursement questions. CamCare reimbursement consultants can be reached at the **CamCare Support Line: 1-800-473-5832** (9 AM to 5 PM ET, Monday through Friday).

Services Overview

CamCare reimbursement consultants have experience across all payer types, including Medicare. Consultants closely monitor policy changes, such as recent Medicare reform, to provide accurate and timely information. Questions answered by the team are wide-ranging, but typically can be classified into one of the following groups:

- **Benefit Verification:** identifies patient-specific product coverage guidelines; can include identification of potential diagnosis restrictions and patient cost-sharing details
- **Coding Assistance and Billing Instruction:** helps ensure that correct codes (including CPT and HCPCS) and billing units are submitted to the payer*
- **Claims Review:** prior to claims submission, a team consultant will review claim(s) for completeness and accuracy
- **Claims Appeal Assistance:** helps identify the reason(s) for denial of claim(s) and collaborates with the provider to create a patient-specific and payer-specific appeal strategy
- **Prior Authorization Assistance:** consultants can act as a liaison between payer and provider to determine the prior authorization process and requirements; can assist the provider in the creation of payer-requested information such as a letter of medical necessity
- **Patient Assistance:** Bayer HealthCare Pharmaceuticals offers a program that provides treatment to uninsured patients who meet program criteria

CamCare reimbursement consultants provide the highest level of reimbursement support and patient assistance. Consultants closely monitor the reimbursement environments for the latest changes in Medicare, Medicaid, and private payer reimbursement and coverage policies. The result is a knowledgeable staff capable of answering calls, processing patient assistance applications, and providing product-specific support to the provider and patient communities.

* It is the responsibility of the provider to choose the most appropriate code as documented in the patient's medical chart. Using the assistance of CamCare reimbursement consultants in no way guarantees reimbursement.

Indications & Usage

Campath is indicated as a single agent for the treatment of B-cell chronic lymphocytic leukemia (B-CLL).

Important safety information

WARNING: CYTOPENIAS, INFUSION REACTIONS, and INFECTIONS

Cytopenias: Serious, including fatal, pancytopenia/marrow hypoplasia, autoimmune idiopathic thrombocytopenia, and autoimmune hemolytic anemia can occur in patients receiving Campath. Single doses of Campath greater than 30 mg or cumulative doses greater than 90 mg per week increase the incidence of pancytopenia.

Infusion Reactions: Campath administration can result in serious, including fatal, infusion reactions. Carefully monitor patients during infusions and withhold Campath for Grade 3 or 4 infusion reactions. Gradually escalate Campath to the recommended dose at the initiation of therapy and after interruption of therapy for 7 or more days.

Infections: Serious, including fatal, bacterial, viral, fungal, and protozoan infections can occur in patients receiving Campath. Administer prophylaxis against *Pneumocystis jiroveci* pneumonia (PCP) and herpes virus